


SPEC® CINT2006 Result

Copyright ©2006 Standard Performance Evaluation Corporation

Sti Tecnologias de la Informacion
Intel Core 2 Duo 6300

SPECint®2006 = **Not Run**
SPECint_base2006 = **12.3**

CPU2006 license #: 2433 | Test sponsor: DPT Comp.Sciences, Univ.Valladolid | Test date: Nov-2007 | Hardware Availability: Oct-2007 | Software Availability: Oct-2007
Tested by: Sergio Aldea



SPECint_base2006 = 12.3

Hardware

CPU Name: i686 Intel Core 2 CPU E6300
 CPU Characteristics: 1.86 GHz, 1066 MHz bus
 CPU MHz: 1865
 FPU: Integrated
 CPU(s) enabled: 2 cores, 1 chip, 2 cores/chip
 CPU(s) orderable: 1 chip
 Primary Cache: 32 KB I + 32 KB D on chip per core
 Secondary Cache: 2 MB I+D on chip per core
 L3 Cache: None
 Other Cache: None
 Memory: 3 GB (2x512MB + 2x1GB DDR2 667MHz)
 Disk Subsystem: Seagate St3250820as 250GB SATA II (7200 rpm, 8MB Cache, ATA300)
 Other Hardware: --

Software

Operating System: Mandriva Linux release 2007.1 (Official) for i586
 Compiler: Intel C++ Compiler 10.0 Professional Edition for Linux (20070809)
 Intel Fortran Compiler 10.0 Professional Edition for Linux (20070809)
 Auto Parallel: No
 File System: ext3
 System State: runlevel 5
 Base Pointers: 32-bit
 Peak Pointers: 32-bit
 Other Software: None

SPEC CINT2006 Result

Copyright ©2006 Standard Performance Evaluation Corporation

Sti Tecnologias de la Informacion
Intel Core 2 Duo 6300

SPECint2006 = Not Run

SPECint_base2006 = 12.3

CPU2006 license #: 2433 Test sponsor: DPT Comp.Sciences, Univ.Valladolid Test date: Nov-2007 Hardware Availability: Oct-2007 Software Availability: Oct-2007
Tested by: Sergio Aldea

Results Table

Benchmark	Base						Peak					
	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
400.perlbench	775	12.6	774	12.6	777	12.6						
401.bzip2	1050	9.15	1060	9.13	1050	9.16						
403.gcc	603	13.4	598	13.5	598	13.5						
429.mcf	514	17.7	517	17.7	512	17.8						
445.gobmk	851	12.3	850	12.3	850	12.3						
456.hammer	955	9.77	953	9.79	955	9.77						
458.sjeng	1050	11.5	1050	11.5	1050	11.5						
462.libquantum	960	21.6	941	22.0	933	22.2						
464.h264ref	1170	19.0	1160	19.0	1160	19.0						
471.omnetpp	608	10.3	606	10.3	607	10.3						
473.astar	849	8.27	828	8.47	827	8.49						
483.xalancbmk	820	8.42	817	8.44	821	8.41						

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

General Notes

400.perlbench: -DSPEC_CPU_LINUX_IA32
462.libquantum: -DSPEC_CPU_LINUX
C base flags:-O3 -ipo -xT -no-prec-div -axT -funroll-all-loops
C++ base flags:-O3 -ipo -xT -no-prec-div -axT -funroll-all-loops
Fortran base flags:-O3 -ipo -xT -no-prec-div -axT -funroll-all-loops

Base Compiler Invocation

C benchmarks:
icc

C++ benchmarks:
icpc

Base Portability Flags

C benchmarks (except as noted below):
No flags used

400.perlbench: -DSPEC_CPU_LINUX_IA32

462.libquantum: -DSPEC_CPU_LINUX

C++ benchmarks:

Continued on next page

SPEC CINT2006 Result

Copyright ©2006 Standard Performance Evaluation Corporation

Sti Tecnologias de la Informacion
Intel Core 2 Duo 6300

SPECint2006 = Not Run
SPECint_base2006 = 12.3

CPU2006 license #: 2433	Test sponsor: DPT Comp.Sciences, Univ.Valladolid	Test date: Nov-2007	Hardware Availability: Oct-2007	Software Availability: Oct-2007
	Tested by: Sergio Aldea			

Base Portability Flags (Continued)

471.omnetpp: No flags used

473.astar: -DSPEC_CPU_LITTLE_ENDIAN

483.xalancbmk: -DSPEC_CPU_LINUX

Base Optimization Flags

C benchmarks:

-O3 -ipo -xT -no-prec-div -axT -funroll-all-loops

C++ benchmarks:

-O3 -ipo -xT -no-prec-div -axT -funroll-all-loops

Base Other Flags

C benchmarks:

No flags used

C++ benchmarks:

No flags used

SPEC and SPECint are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.